BE FAST STROKE SYMPTOM ASSESSMENT

- Presentation by Lisa Haley, BSN, RN, ASC-BC
- Stroke Coordinator
- Hendrick Medical Center

Lisa Haley is the Stroke Coordinator for Hendrick Medical Center in Abilene, Texas. She has been a registered nurse for 25 years with most of her experience in the Emergency Department. In 2018 she joined the Performance Improvement Department at Hendrick. Providing quality stroke care to patients and promoting the swift treatment of stroke is important to Lisa and is something she strives to improve on every day.





DISCLOSURES

FINANCIAL DISCLOSURE: No financial relationships to disclose

UNLABELED/UNAPPROVED USES DISCLOSURE: None to disclose



FAST VERSUS BE FAST


11% OF STROKES ARE POSTERIOR STROKES

NATIONWIDE 37% OF POSTERIOR STROKES WERE MISSED WITH "FAST"

ADDED "B" FOR BALANCE AND "E" FOR EYES OR VISION DISTURBANCE: BOTH ARE SPECIFIC SYMPTOMS FOR POSTERIOR STROKES

B: BALANCE LOSS

BALANCE Loss of balance, headache or dizziness





E: EYES BLURRED

EYES Blurred vision


Or sudden onset of vision loss





F: FACE DROOPING

FACE One side of the face is drooping





A: ARM WEAKNESS OR DRIFT







S: SPEECH DIFFICULTY







T: TIME OF ONSET OF SYMPTOMS AND TIME TO CALL 911

TIME Time to call for ambulance immediately

Don't wait - Call 911





SUDDEN ONSET OF SEVERE HEADACHE: COULD BE HEAD BLEED DUE TO HYPERTENSION OR ANEURYSM

SEVERE

HEADACHE



11

TIPS AND TRICKS TO REDUCE DOOR IN AND DOOR OUT TIMES: DECREASE TIME TO TREATMENT



CALL TRANSFER LINE

- CALL TRANSFER LINE ASAP
- GIVE DIAGNOSIS OF STROKE
- LAST KNOWN WELL < 12 HOURS</p>
- CT RESULT (WHAT KIND OF STROKE)
- WAS CLOT BUSTING MEDICATION GIVEN
- MUST BE WITHIN 3-4.5 HOURS OF LKW
- IF YES: TIME OF BOLUS & DOSE
- ✤ IF NO: WHAT MEDICATIONS & HISTORY



CALL TRANSFER LINE

START TRANSFER ARRANGEMENTS ASAP

WAS CTA DONE & RESULTS

FAX CHART TO ER IF ABLE



QUESTIONS

American Heart Association