

Million Hearts™ Clinical Quality Measures

ABCS	Domain	Measures	2012 Physician Quality Reporting System (PQRS)	Medicare and Medicaid EHR Incentive Program	National Quality Forum (NQF)
A	Aspirin Use	Ischemic Vascular Disease (IVD): Use of Aspirin or Another Antithrombotic Percentage of patients aged 18 years and older with IVD with documented use of aspirin or other antithrombotic	#204	Stage 1 optional Stage 2 optional	#0068
B	Blood Pressure Screening	Preventive Care and Screening: High Blood Pressure Percentage of patients aged 18 years and older who are screened for high blood pressure AND a recommended follow-up plan is documented based on the current blood pressure readings as indicated	#317	n/a	n/a
	Blood Pressure Control	Hypertension (HTN): Controlling High Blood Pressure Percentage of patients aged 18 through 85 years who had a diagnosis of HTN and whose blood pressure was adequately controlled (<140/90) during the measurement year	#236	Stage 1 optional Stage 2 recommended core	#0018
C	Cholesterol Screening and Control	Preventive Care and Screening: Cholesterol – Fasting Low Density Lipoprotein (LDL) Test Performed AND Risk-Stratified Fasting LDL Percentage of patients aged 20 through 79 years whose risk factors have been assessed and a fasting LDL test has been performed AND who had a fasting LDL test performed and whose risk-stratified fasting LDL is at or below the recommended LDL goal	#316	Stage 2 optional	TBD
	Cholesterol Control – Diabetes	Diabetes Mellitus: Low Density Lipoprotein (LDL-C) Control in Diabetes Mellitus Percentage of patients aged 18 through 75 years with diabetes mellitus who had most recent LDL-C level in control (less than 100 mg/dL)	#2	Stage 1 optional Stage 2 optional	#0064
	Cholesterol Control – Ischemic Vascular Disease	Ischemic Vascular Disease (IVD): Complete Lipid Panel and Low Density Lipoprotein (LDL-C) Control Percentage of patients aged 18 years and older with Ischemic Vascular Disease (IVD) who received at least one lipid profile within 12 months and who had most recent LDL-C level in control (less than 100 mg/dL)	#241	Stage 1 optional Stage 2 optional	#0075
S	Smoking Cessation	Preventive Care and Screening: Tobacco Use Percentage of patients aged 18 years and older who were screened about tobacco use one or more times within 24 months and who received cessation counseling intervention if identified as a tobacco user	#226	Stage 1 optional Stage 2 recommended core	#0028